Gorey Central School

Risk Assessments

to minimize the risk of being exposed to Covid-19

2020-21

Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19), it is the policy of the Board of Management in Gorey Central School to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Projects in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A risk is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Severity

| Severity Rating | Interpretation | Numerical Value |
|--------------------------|---|-----------------|
| Fatality or Catastrophic | Single or multiple fatalities, widespread illness, large scale property or equipment damage | 5 |
| Major | Serious injury or illness, significant property or equipment damage | 4 |
| Moderate | Injury and damage to property | 3 |
| Minor | Minor injury or illness, minor property or equipment damage | 2 |
| Trivial | No significant injury or illness, no significant property or equipment damage | 1 |

Probability/Likelihood

| Probability Rating | Interpretation | Numerical Value |
|--------------------|---|-----------------|
| Inevitable | Likely to occur either immediately or in the short term | 5 |
| Very Likely | Could occur in time or if repeated enough | 4 |
| Likely | Likely to occur | 3 |
| Unlikely | Though unlikely, may occur over time | 2 |
| Rare | Unlikely to occur at all | 1 |

Risk Rating

| Numerical Value Severity x Probability | Descriptive risk rating | Interpretation |
|--|---|---|
| 16 – 25 | Emergency – Extremely serious | Risks are unacceptable and immediate action required justifying special |
| | If an incident were to occur, it would be likely | maintenance. Activity should be halted and stopped until the hazard is |
| | that a permanent, debilitating injury or death | eliminated or appropriate risk controls are put in place. |
| | would result | |
| 11 – 15 | Severe and Serious | Activity can proceed but substantial efforts should be made to reduce the |
| | If an incident were to occur, it would be likely | risk. Risk reduction measures should be implemented urgently within a |
| | that an injury requiring medical treatment would | defined time period and it might be necessary to consider suspending or |
| | result. | restricting the activity or to apply interim control measures until this has been |
| | | completed. |
| 6 – 10 | Medium | Activity can proceed but consideration should be given as to whether the risks |
| | If an incident were to occur, there would be | can be lowered. Control measures must be monitored and reviewed as |
| | some chance that an injury requiring First Aid | required to ensure they remain suitable and sufficient. |
| | treatment would result | |
| 1-5 | Trivial or Negligible | No additional controls are necessary as these risks are considered acceptable. |
| | If an incident were to occur, there would be little | Activity should be regularly reviewed to ensure there is no change to the risk |
| | likelihood that an injury would result | rating and that controls are maintained. |
| | | |

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

| Who may be affected? Identified Risks | | , Education and Training | Risk Rating with controls | Action implementation |
|---|--|--|---------------------------|-------------------------------------|
| Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | and mitigation of Covid-19 following This plan will highlight the measure safety of staff in re-opening and mod school. The staff representative(s) will be p implementing the action plan for the within the school and all staff will i introduced, using specific risk co approaches. The Board of Management will: ✓ Ensure that all staff receive nece ✓ Provide posters, information an awareness of Covid-19 among st ✓ Promote safe individual practice ✓ Engage with staff in providing fe their effectiveness ✓ Provide regular information ab sources, such as government a Health Organisation ✓ Emphasise the effectiveness of good personal hygiene | • • | Negligible | Board of Management Principal Staff |
| | oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in | | itrol |
| Assessment Date: August, 2020 | | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Hygiene Controls | Risk Rating with controls | Action implementation |
|--|-----------------------------|---|---------------------------|--|
| All staff Pupils Visitors Contractors Public | cough, not just a dry cough | ✓ Wash their hands properly and often. Hands should be washed: ○ After coughing or sneezing ○ Before and after eating or preparing food ○ Before and after using protective gloves | Requires monitoring | Board of Management Principal Staff Visitors |
| Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable | | | | ntrol |
| Assessment Date: | August, 2020 | <u>Assessor's Name</u> : | | |

| Who may be affected? | Identified Risks | Hygiene Controls | Risk Rating with controls | Action implementation |
|--|---|--|---------------------------|--|
| All staff Pupils Visitors Contractors Public | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | ✓ Appropriate social distancing markings are in place ✓ Necessary PPE is available to staff ✓ Standard cleaning and maintenance regimes are put in place and detailed records retained ✓ Toilet facilities are cleaned regularly ✓ All drinking water facilities will be shut down ✓ Equipment sharing is minimised. Staff are encouraged not to share equipment ✓ There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) ✓ All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people ✓ Covid compliant work areas to be available where social distancing guidelines can be applied ✓ There is staggered use of canteen/kitchen or other communal facilities ✓ Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow ✓ All waste collection points are emptied regularly throughout and at the end of each day. | Requires monitoring | Board of Management Principal Staff Visitors |
| Risk Level Calculation (a) Severity of risk/i (b) Likelihood of ever (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ve | | | |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Social Distancing Controls | Risk Rating with controls | Action implementation |
|---|---|--|-----------------------------------|--|
| All staff Pupils Visitors Contractors Public | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | school, use of welfare facilities and while working in the school physical spacing (2 metres apart currently) for work stations and common spaces, such as entrances/exits, lifts, kithchen areas, canteens, stairs, where congregation or queuing of staff, or students of visitors might occur Break times will be staggered and school supervision procedures must be strictly adhered to Appropriate signage in line with public health guidelines will be displayed throughout school facility (buildings and grounds) Appropriate social distancing arangements will be in place throughout the facility Meetings of staff will take place online and by using teleconferencing facilities There is currently a strict no handshaking policy in place within the school All staff, contractors and visitors should avoid direct physical contact with any other persons as far as possible Where 2 metre distance cannot be maintained | Requires monitoring Serious | Board of Management Principal Staff Visitors |
| Risk Level Calculation (a) Severity of risk/inju (b) Likelihood of event (c) Risk Rating = (a) X (| t 1=rare, 2=unlikely, 3=likely, 4= | | | |
| Assessment Date: A | ugust, 2020 | <u>Assessor's Name</u> : | | |

| Who may be affected? | Identified Risks | Cleaning Controls | | Risk Rating with controls | Action implementation |
|---|--|---|--|---------------------------|---|
| Staff especially cleaning staff | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste | items handled at work or during breaks. Staff achave bring to work (e.g. mobile phones) and to surfaces or they will need to clean the surface af Cleaning staff will be trained in the new cleaning ✓ Sufficient cleaning materials and PPE will be available. | s that have been brought to work and lyised to clean personal items that they avoid leaving them down on communal ter the personal item is removed arrangements for the school lable to allow for increased cleaning hen cleaning and are aware of the need water, both before and after wearing cloths and used wipes in a rubbish bag as cleaning waste, tissues etc. from a double bagged and stored in a secure teral waste collection quipment including mop heads and non- | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evec (c) Risk Rating = (a) Assessment Date: | njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik | derate, 4=major, 5=fatality 2ly, 4=very likely, 5=inevitable 11-15 S 16-25 E | el Action rivial risk Acceptable fledium risk Requires monitoring evere risk Requires immediate furth mergency risk Halt activity and review in r's Name: | | ntrol |

| Who may be affected? | Identified Risks | Office and a | dministration areas | Risk Rating | Astion involuntation |
|---|---|---|---|---------------|--|
| апестей? | identified kisks | C | Controls | with controls | Action implementation |
| Staff | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | designated workstations and staff | | Requires | Board of Management Principal Administration staff |
| Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like | derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in | | trol |
| Assessment Date: | August, 2020 | | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Use of PPE | Risk Rating | Action implementation |
|---|---|--|------------------------|---|
| anecteds | identified Risks | Controls | with controls | Action implementation |
| Staff | most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell | Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary. PPE will not be required to be worn within the school facility according to current occupational and public health guidance. Current general guidance from the HSE in relation to the wearing of face coverings, masks and gloves is available at the following Link: https://www2.hse.ie/conditions/coronavirus/face- | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: | August, 2020 | <u>Assessor's Name</u> : | | |

| Who may be affected? | Identified Risks | Handling books and other resources during Covid-19 Controls | Risk Rating with controls | Action implementation |
|---|---|--|---------------------------|---|
| Staff (particularly SNAs, school secretaries and school book rental co-ordinator) | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | these will be available to pupils for the start of the new school year. The following guidelines are recommended for staff when receiving or assisting in compiling resource packs: Maintain physical distancing (currently 2 metres) Observe good hygiene (hand washing and respiratory etiquette, do not touch your eyes, nose, mouth with unwashed hands, etc.) before and after handling books and other materials returned to the school Follow the agreed school protocols if you are displaying symptoms of Covid-19 Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 72 hours. Quarantining means placing these items in sealed boxes that are labelled with the time and date of the start of the 72-hour quarantine period. These boxes should be stored in a separate location away from | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik | Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Using hand tools or equipment | Risk Rating | Action implementation |
|--|---|--|------------------------|---|
| affecteds | identified Risks | Controls | with controls | Action implementation |
| | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | Staff must wear the appropriate PPE for the nature of the work that they are undertaking All tools and equipment must be properly sanitised to prevent cross contamination Arrangements should be put in place for one individual to use the same tool, equipment and machinery as far as is reasonably practicable Cleaning material will be available so that all tools can be wiped down with disinfectant between each use All mobile machinery (including lawnmowers) must be thoroughly cleaned and santisied prior to use | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calculation (a) Severity of risk/inj (b) Likelihood of even (c) Risk Rating = (a) X | iury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=like | Risk Level Action derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: A | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Dealing with a suspected case of Covid-19 | Risk Rating | Action implementation |
|--|--|---|------------------------|---|
| anecteds | identified Risks | Controls | with controls | Action implementation |
| Staff Pupils Visitors Contractors | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste | area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. ✓ Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises. ✓ Assess whether the individual who is displaying symptoms can immediately be directed to go home and call their doctor and continue self-isolation at home. ✓ Facilitate the person presenting with symptoms remaining in isolation if they cannot immediately go home and facilitate them calling their doctor. The individual should avoid touching people, surfaces and objects. Advice should be given to the person presenting with symptoms to cover their mouth and nose with the disposable tissue provided when they cough or sneeze and put the tissue in the waste bag provided | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik | Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | | case of Covid-19 (continued) ntrols | Risk Rating with controls | Action implementation |
|---|---|--|---|---------------------------|---|
| Staff Pupils Visitors Contractors | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste • Death | family member, as soon as possible and by phone of their symptoms. Public tra ✓ If they are too unwell to go home or a them that the sick person is a Covid-1st | nt which will form part of determining follow-up | Requires monitoring | Board of Management Principal Staff |
| Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evec (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like | derate, 4=major, 5=fatality ly, 4=very likely, 5=inevitable | Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: | August, 2020 | | <u>Assessor's Name</u> : | | |

| Who may be affected? | Identified Risks | Covid-19 cleaning | Risk Rating | Action implementation |
|--|---|---|-----------------------------------|----------------------------------|
| | | Controls | with controls | |
| Staff Pupils | Spread of Covid-19 virus | All cleaning will be undertaken in line with DES and public health guidance. | | Board of Management Principal |
| Visitors | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | ✓ It is recommended cleaning an area with normal household disinfectant after a suspected coronavirus (Covid-19) case. This wil reduce the risk of passing the infection on to other people ✓ The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours ✓ For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished should be double-bagged, ✓ Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles ✓ If an area has been heavily contaminated, such as with visible bodily fluids, from a person with coronavirus (Covid-19) consider using protection for the eyes, mouth and nose, as well as wearing gloves and apron ✓ Wash hands regularly with soap and water for 20 seconds and after removing gloves, aprons and other protection used while cleaning ✓ Public areas where a symptomatic individual has passed through and spent minimal time, such as corridors, but which are not visibly contaminated with body fluids can be cleaned as normal ✓ All surfaces that the symptomatic person has come into contact with must be cleaned and disinfected, including objects which are visibly contaminated with body fluids | Serious Requires monitoring | Cleaning staff |
| Risk Level Calculati (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) | /injury 1=trivial, 2=slight, 3=mo vent 1=rare, 2=unlikely, 3=like | Risk Level Action 1-5 Trivial risk Acceptable 1-7 Acceptable 1-8 Acceptable 1-9 Acceptable 1-10 Acceptable 1-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: | August, 2020 | <u>Assessor's Name</u> : | | |

| Who may be affected? | Identified Risks | Cleaning a space with a suspected/confirmed case of Covid-19 | Risk Rating | Action implementation |
|--|---|--|------------------------|----------------------------------|
| arrecteu: | identified kisks | Controls | with controls | Action implementation |
| Staff Pupils | Spread of Covid-19 virus | All cleaning will be undertaken in line with DES and public health guidance. | | Board of Management Principal |
| Visitors | most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical | Use disposable cloths or paper roll and disposable mob heads to clean all hard surface floors, chairs, door handles and sanitary fittings, using an approved and recognised detergent a disinfectant in line with the manufacturer's instructions for dilution, aplication and contact time. Disinfectants used should be effective against viruses. | | Cleaning staff |
| | conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer | | Serious | |
| | pregnant women | Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and should be put into waste bags as outlin below. | Requires monitoring | |
| | A fever (high temperature of 37.5 degrees Celsius or above) A cough - this can be any kind | Any items that have been heavily contaminated with bodyfluids and that cannot be cleaned | | |
| | breathing difficulties Loss of sense of smell Loss of sense of taste or distortion of sense of taste Death | If possible, keep an area closed off and secure for 72 hours. After this time the amount of virus contamination will have decreased substantially, and cleaning can take place as normal | | |
| Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evolution (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik | Risk Level Action Oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in | | ntrol |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Cleaning a space with a suspected/confirmed care Covid-19 (continued) Controls | Risk Rating with controls | Action implementation |
|--|---|--|--|--|
| Staff Pupils Visitors | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | ✓ Wash items in accordance with the manufacturer's instructions. Use the water setting and dry items completely. Dirty laundry that has been in con an unwell person can be washed with other people's items. Do not shake a laundry as this minimises the possibility of dispersing the virus through the Clean and disinfect anything used for transporting laundry with your usual in line with the cleaning guidance outlined above Waste Management ✓ Waste should be put in a plastic rubbish bag and tied when full ✓ The plastic bag should then be placed in a second bin bag and tied ✓ It should be put in a suitable and secure place and marked for storage untiindividual's test results are known ✓ All waste should be stored safely and kept away from children. You should waste in communal waste areas until negative test results are known or the has been stored for at least 72 hours ✓ If the individual tests negative, the waste can be put in with the normal waste individual tests positive, then store it for at least 72 hours and put in with the waste | ntact with dirty ne air I products, Requires monitoring til the Id not put he waste aste. If the | Board of Management Principal Cleaning staff |
| Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of ever (c) Risk Rating = (a) | njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik | Risk Level Action 1-5 Trivial risk Acceptable 1-10 Medium risk Requires more 1-11 Severe risk Requires immed 16-25 Emergency risk Halt activity a | ediate further action and c | ontrol |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? Identifie | d Risks | Travel to and from work | Risk Rat | - Action implementation |
|--|---|--|---|-------------------------|
| | | Controls | with cont | trois |
| they catch the co • 60 years of ag • have long- conditions – i.e. | they should not travel to we ontly deemed omplications if oronavirus are: e and over term medical heart disease, high blood es or cancer ten so of the emperature of sius or above) an be any kind ta dry cough of breath or lities f smell e of taste or | ould travel to work alone using their own means of transpor to or from work. t, sit down to minimise contact with frequently touched surfa | r – staff Require monitor ces, | |
| | 2=slight, 3=moderate, 4=major, 5=fatality =unlikely, 3=likely, 4=very likely, 5=inevitab | · | ite further action a | |
| Assessment Date: August, 2020 | | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Dropping off and picking up of pupils | Risk Rating | Action implementation |
|--|---|--|------------------------|--|
| affected: | identined Risks | Controls | with controls | Action implementation |
| Bus and taxi drivers | most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) | Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures. It expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school Where SEN pupils are dropped off and picked up by a private bus/taxi, the accompanying adult should remain in the car/bus with the pupil. A designated staff member will come to the car/bus to receive the pupil and will avoid or limit physical contact with the accompanying adult. Subject to available space there is no strict requirement for taxis/buses to arrive one at a time provided that those accompanying the pupil remain in the taxi/bus and do not interact with those accompanying other pupils. A similar process should be followed for pick up. | Requires monitoring | Board of Management Principal Staff Bus and taxi drivers |
| Risk Level Calculation (a) Severity of risk/injury (b) Likelihood of event (c) Risk Rating = (a) X (b) 1=trivial, 2=slight, 3=moderate, 4=major, 5=fatality 1=rare, 2=unlikely, 3=likely, 4=very likely, 5=inevitable | | | | ntrol |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Visitors to school Controls | Risk Rating with controls | Action implementation |
|--|---|--|------------------------------|----------------------------------|
| Staff Pupils Wider Community | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | Visits to the school will be severely restricted and visitors will be asked to: ✓ Make a prior appointment before visiting the school ✓ Remain at home if they have any Covid-19 symptoms ✓ Follow the agreed Covid-19 protocols for the school ✓ Sanitise before entering the premises ✓ Attendance to be recorded on entry to building ✓ Wear PPE if instructed ✓ Adhere to social distancing requirements ✓ Not to loiter − complete their business and leave premises | Requires monitoring | Board of Management Principal |
| Risk Level Calculation (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X | nt 1=trivial, 2=slight, 3=mo 1=rare, 2=unlikely, 3=lik | Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate fu 16-25 Emergency risk Halt activity and review | | ntrol |
| Assessment Date: | August, 2020 | Assessor's Name: | | |

| Who may be affected? | Identified Risks | Management of deliveries and supplies to school | Risk Rating with controls | Action implementation |
|---|---|--|---------------------------|---|
| Staff Pupils Drivers Wider Community | Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death | All drivers to remain in their vehicle and to follow instructions to set down area Ensure that all delivery transactions comply with physical distancing requirement. Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate Appropriate sanitising arrangements at set down areas (for materials and stock) access and egress points. | Requires monitoring | Board of Management Principal Staff Delivery personnel |
| Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X Assessment Date: | njury 1=trivial, 2=slight, 3=moderant 1=rare, 2=unlikely, 3=likely, | l=very likely, 5=inevitable 6-10 Medium risk Requires monitor | te further action and co | ntrol |

Declaration of Sight

I have read and understand the contents of this document. Signed: ____ Dated: Signed: _____ Dated: _____ Signed: ______ Dated: _____ Signed: _____ Dated: _____ Signed: _____ Dated: _____ Signed: _____ Dated: _____ Signed: ____ Dated: Signed: _____ Dated: _____ Signed: _____ Dated: _____ Signed: ____ Dated: ____ Signed: _____ Dated: _____ Signed: ____ Dated: Signed: ____ Dated: ____ Signed: _____ Dated: _____ Signed: _____ Dated: _____

| Signed: | Dated: |
|---------|--------|
| Signed: | Dated: |
| | |
| Signed: | Dated: |